

# noölab

ORTHOTICS & BRACING



PRODUCT CATALOG  
2023



## Custom Orthotics

### Functional 02

FM Functional  
FM Support  
FM Integrated

### Athletic 03

Glider  
FM Sport  
FM Trainer

### Accommodative 04

Motion Soft  
Comfort Soft

### Diabetic 05

Diabetic Soft  
Diabetic Medium  
3 Pair Diabetic

### Dress 06

Dress Elite  
Dress High Heel

### Children's 07

UCBL  
Whitman Roberts  
Gait Plates

### Specialty 08

PT Controller  
Smart Basic



## Custom Braces

### Standard Braces 10

Gauntlet  
Balance Brace  
Foot Drop Brace

### Controller Braces 11

Standard Controller  
Tamarack Controller

### Specialty Braces 12

Crow Walker  
SMO  
Flexion Limiter

### Children's Braces 13

Child Flexion Limiter  
Child SMO



## Prefab Orthotics

### Summit Pro Series 14

Summit Pro  
Summit Pro Premium  
Summit Pro XP  
Summit Pro Open

### Heat Mold Shells 16

JM 720  
JM 722  
JM 722-M  
JM 724  
JM 726  
JM 729  
Heat Molding Package

### Accommodative 18

Cloud Walker  
Diabetic Insole  
Ultra  
Ultra MP

### Miscellaneous 20

Slim Power  
UCBL  
Power Plates  
Carbon Weave Foot Plate  
Peel & Stick Accessories


# Already Have an iPad Scanner? Download Our FREE APP!

# noölab

- Built Exclusively for Podiatry
- Everything in One Place
- Most User-Friendly System



Digitally Cast in Seconds



Build the Perfect Device



Track Your Orders Live

## Ready to Switch to Digital Casting?

### Scanner System

- Includes NEW iPad & 3D Scanner Attachment
- 6 Month Satisfaction Guarantee
- Updates & Tech Support







★ Most Popular

## FM FUNCTIONAL

- General Purpose Functional Orthotic
- Rigid Graphite for Control and Stability

<b>Shell Material:</b>	PRX Graphite™ (Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Shell Only
<b>Top Cover Material:</b>	Marine Grade Vinyl
<b>Padding Material:</b>	None
<b>Bottom Cover Material:</b>	None
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Extrinsic

## GLIDER

- General Purpose Athletic Activity
- Added Poron Padding for Comfort
- Semi-Rigid Control

<b>Shell Material:</b>	Performance RX™ (Semi-Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Full
<b>Top Cover Material:</b>	Marine Grade Vinyl
<b>Padding Material:</b>	1/8" Poron
<b>Bottom Cover Material:</b>	Ultra Suede
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Extrinsic



★ Most Popular

## FM SUPPORT

- Firmer Control
- Recommended for Forefoot & In-Shell Accommodations

<b>Shell Material:</b>	Performance RX™ (Semi-Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Sulcus
<b>Top Cover Material:</b>	Marine Grade Vinyl
<b>Padding Material:</b>	1/16" Plastazote (FF Only)
<b>Bottom Cover Material:</b>	Ultra Suede
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Extrinsic
<b>Accommodation:</b>	Korex Arch Reinforcement



## FM SPORT

- Promotes Motion in the First Ray
- Slim with High Durability

<b>Shell Material:</b>	PRX Graphite™ (Semi-Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Full
<b>Top Cover Material:</b>	1/8" Perforated Ucolite
<b>Padding Material:</b>	None
<b>Bottom Cover Material:</b>	Ultra Suede (FF Only)
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Modified Intrinsic
<b>Accommodation:</b>	1st Ray Cut-Out

## FM INTEGRATED

- Functional Control for High Activity
- Integrated Heel Post for Greater Durability

<b>Shell Material:</b>	3/16" Polypropylene
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Shell Only
<b>Top Cover Material:</b>	Marine Grade Vinyl
<b>Padding Material:</b>	None
<b>Bottom Cover Material:</b>	None
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Extrinsic Polypropylene



## FM TRAINER

- Posted to Enhance Stability
- Rigid Shell & Runners Wedge for Pronation Control of the Forefoot

<b>Shell Material:</b>	Performance RX™ (Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Full
<b>Top Cover Material:</b>	Marine Grade Vinyl
<b>Padding Material:</b>	1/16" Poron
<b>Bottom Cover Material:</b>	Ultra Suede
<b>Forefoot Post:</b>	Intrinsic with 3° Extrinsic Long FF Post
<b>Rearfoot Post:</b>	Extrinsic





### MOTION SOFT

- Mild Control with Added Padding for Comfort
- Great for Forefoot & In-Shell Accommodations

<b>Shell Material:</b>	Performance RX™ (Semi-Flex)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Full
<b>Top Cover Material:</b>	1/16" Neoprene
<b>Padding Material:</b>	1/8" Poron
<b>Bottom Cover Material:</b>	Ultra Suede
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Extrinsic
<b>Accommodation:</b>	Poron Arch Reinforcement

### DIABETIC SOFT

- Very Accommodating
- Mild Support, More Forgiving
- Soft Shell

<b>Shell Material:</b>	EVA
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Full
<b>Top Cover Material:</b>	Diabetic
<b>Padding Material:</b>	Plastazote/Poron
<b>Bottom Cover Material:</b>	1/16" EVA
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Extrinsic



### COMFORT SOFT

- Comfortable and Supportive
- Soft Padding to Ease Discomfort

<b>Shell Material:</b>	EVA
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Full
<b>Top Cover Material:</b>	1/8" Neoprene
<b>Padding Material:</b>	1/16" Poron
<b>Bottom Cover Material:</b>	1/16" EVA
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Extrinsic



### DIABETIC MEDIUM

- Accommodating
- Firm Arch Support
- Medium Control

<b>Shell Material:</b>	Thermacork
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Full
<b>Top Cover Material:</b>	Diabetic
<b>Padding Material:</b>	Plastazote/Poron
<b>Bottom Cover Material:</b>	1/16" EVA
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Extrinsic



## FREE ACCOMMODATIONS

All orthotic accommodations are free. Dress the device anyway you want with no extra charges.



\*Additional cost for Amputee Fill

### 3 PAIR DIABETIC

- Very Accommodating
- Mild Support, More Forgiving
- Flexible Shell

<b>Shell Material:</b>	Performance RX™ (Semi-Flex)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	10mm
<b>Top Cover Length:</b>	Full
<b>Top Cover Material:</b>	Diabetic
<b>Padding Material:</b>	Plastazote/Poron
<b>Bottom Cover Material:</b>	1/16" EVA
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Modified Intrinsic







## DRESS ELITE

- Fits Men's or Women's Dress Shoes
- Suede Bottom Cover (prevents squeaking)
- Very Comfortable Feel

<b>Shell Material:</b>	Performance RX™ (Semi-Rigid)
<b>Orthotic Width:</b>	Narrow
<b>Heel Cup Depth:</b>	10mm
<b>Top Cover Length:</b>	Sulcus
<b>Top Cover Material:</b>	Marine Grade Vinyl
<b>Padding Material:</b>	1/16" Plastazote (FF Only)
<b>Bottom Cover Material:</b>	Ultra Suede
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Modified Intrinsic
<b>Accommodation:</b>	Hole in Heel with 1/16" Poron Fill

## UCBL

- Flanges and Deep Heel Offer Maximum Control for Total Length of Foot


<b>Shell Material:</b>	Performance RX™ (Semi-Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	20mm
<b>Device Length:</b>	Shell Only
<b>Top Cover Material:</b>	None
<b>Padding Material:</b>	None
<b>Bottom Cover Material:</b>	None
<b>Forefoot Post:</b>	None
<b>Rearfoot Post:</b>	Extrinsic
<b>Accommodation:</b>	Full Distal Medial & Lateral Flanges



## DRESS HIGH HEEL

- For Women's High Heel Shoes
- Suede Bottom Cover (prevents squeaking)

<b>Shell Material:</b>	Performance RX™ (Semi-Rigid)
<b>Orthotic Width:</b>	Narrow
<b>Heel Cup Depth:</b>	None
<b>Top Cover Length:</b>	Sulcus
<b>Top Cover Material:</b>	Marine Grade Vinyl
<b>Padding Material:</b>	1/16" Plastazote (FF Only)
<b>Bottom Cover Material:</b>	Ultra Suede
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	No Shell in Heel (1/16" Flexible Korex Heel Seat)



## WHITMAN ROBERTS

- Great Heel Control, but Less Aggressive than a UCBL

<b>Shell Material:</b>	Performance RX™ (Semi-Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	20mm
<b>Device Length:</b>	Shell Only
<b>Top Cover Material:</b>	None
<b>Padding Material:</b>	None
<b>Bottom Cover Material:</b>	None
<b>Forefoot Post:</b>	None
<b>Rearfoot Post:</b>	Extrinsic
<b>Accommodation:</b>	Normal Medial Flange & Heel Cup Lateral Flange

## CUSTOM PRINTING

We print your logo and/or name at no additional cost.



## GAIT PLATES

- Induces In-Toe or Out-Toe Motion During Gait

<b>Shell Material:</b>	Performance RX™ (Semi-Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	20mm
<b>Device Length:</b>	Shell Only
<b>Top Cover Material:</b>	None
<b>Padding Material:</b>	None
<b>Bottom Cover Material:</b>	None
<b>Forefoot Post:</b>	None
<b>Rearfoot Post:</b>	Extrinsic
<b>Accommodation:</b>	In-Toe or Out-Toe as Specified







## PT CONTROLLER

- For Excessive Pronation, Flexible Flat Feet, & Posterior Tibialis Dysfunction

<b>Shell Material:</b>	Performance RX™ (Semi-Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	20mm
<b>Top Cover Length:</b>	Shell Only
<b>Top Cover Material:</b>	Marine Grade Vinyl
<b>Padding Material:</b>	None
<b>Bottom Cover Material:</b>	None
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Intrinsic 6° Varus & Extrinsic
<b>Accommodation:</b>	Full Distal Medial & Lateral Flanges with Lateral Wedge

## SMART BASIC

- Rigid Shell and Durable EVA Top Cover
- Easy to Customize According to Needs

<b>Shell Material:</b>	Performance RX™ (Rigid)
<b>Orthotic Width:</b>	Regular
<b>Heel Cup Depth:</b>	12mm
<b>Top Cover Length:</b>	Full
<b>Top Cover Material:</b>	3mm EVA
<b>Padding Material:</b>	None
<b>Bottom Cover Material:</b>	None
<b>Forefoot Post:</b>	Intrinsic
<b>Rearfoot Post:</b>	Extrinsic



# FREE Performance RX Shell Upgrades

Makes a Thinner, Stronger, & Lighter Orthotic



Available in Two Materials

### Performance RX™ - Lab Standard

- Engineered Performance Nylon
- Twice as Strong as Polypropylene
- Heat Moldable, Keeps Shape Over Time

**3 Rigidities** Semi-Flex Semi-Rigid Rigid

### Performance RX Graphite™ - Free Upgrade

- Blend of Performance Nylon & Carbon Fiber
- Extremely Strong, Light & Durable
- Heat Moldable, Keeps Shape Over Time

**3 Rigidities** Semi-Rigid Rigid Ultra-Rigid

Thermo-Moldable Shell  
(cup depth up to 25mm)

Break Resistant Material

Variable Thickness  
Made with the strongest, thinnest orthotic shell material available

2x Stronger than  
Traditional Graphite  
Ultra Rigid also Available

1.7mm Thin



Lifetime Guarantee from Manufacturer

Easy & Safe to Grind  
(non-toxic to heat & grind)

Heat Adjustable  
(can be re-heated & re-adjusted)



## FREE SHIPPING

Let us take care of shipping costs for your custom devices to and from your office.





## GAUNTLET

- Helps Limit Movement in the Mid-Foot
- Alternative to Surgery for Severe PTTD
- Best Option for Instability of Subtalar Joint

<b>Shell Material:</b>	3mm Polypropylene (5mm & Carbon Fiber Optional)
<b>Cover Material:</b>	Black Marine Grade Vinyl (Other Colors & Leather Optional)
<b>Padding Material:</b>	3mm Poron with Breathable Mesh
<b>Joint:</b>	Fixed
<b>Closure:</b>	Velcro Straps and/or Laces
<b>Length/Plantar:</b>	Proximal to Meta Heads

### Clinical Indicators

PTTD, Talocalcaneal Varus or Valgus,  
Chronic Achilles Tendonitis, Charcot

### L Codes

L1940, L2330  
L2820

## CONTROLLER

- Designed to Improve Gait
- For Patients Who Need to Maintain Activity
- Fully Custom Built

<b>Shell Material:</b>	3mm Polypropylene (5mm & Carbon Fiber Optional)
<b>Padding Material:</b>	3mm EVA with Removable Neoprene Pads
<b>Joint:</b>	Pivot Joint
<b>Closure:</b>	Velcro Straps
<b>Length/Plantar:</b>	Proximal to Meta Heads
<b>Heel Cup Depth:</b>	25mm

### Clinical Indicators

Arthritis, PTTD  
Severe Varus/Valgus

### L Codes

L1970, L2820



## BALANCE BRACE

- Designed to Reduce Fall Risk
- Increased Balance & Postural Stability
- Reduces Postural Sway

<b>Shell Material:</b>	3mm Polypropylene (5mm & Carbon Fiber Optional)
<b>Cover Material:</b>	Black Marine Grade Vinyl (Other Colors & Leather Optional)
<b>Padding Material:</b>	3mm Poron with Breathable Mesh
<b>Joint:</b>	Fixed
<b>Closure:</b>	Velcro Straps
<b>Length/Plantar:</b>	Proximal to Meta Heads

### Clinical Indicators

History of Falls, Difficulty Walking,  
Balance Issues, Stroke, Neuropathy

### L Codes

L1940, L2330  
L2820



## TAMARACK CONTROLLER

- Helps Patient Maintain an Active Lifestyle
- Designed to "Spring" Foot into Neutral During Swing-Phase of Gait

<b>Shell Material:</b>	3mm Polypropylene (5mm & Carbon Fiber Optional)
<b>Padding Material:</b>	3mm EVA with Removable Neoprene Pads
<b>Joint:</b>	Tamarack
<b>Closure:</b>	Velcro Straps
<b>Length/Plantar:</b>	Proximal to Meta Heads
<b>Heel Cup Depth:</b>	25mm

### Clinical Indicators

Mild Foot Drop, Equinus,  
PTTD, Ankle Instability

### L Codes

L1970, L2820,  
L2200 (2x per brace)



## FOOT DROP BRACE

- Stabilizes Foot & Ankle
- Low Profile to Fit in Most Shoes
- Helps Reduce Catching of the Toe During Swing Phase of Gait

<b>Shell Material:</b>	5mm Polypropylene (3mm & Carbon Fiber Optional)
<b>Padding Material:</b>	3mm EVA
<b>Joint:</b>	Fixed
<b>Closure:</b>	Velcro Straps
<b>Length/Plantar:</b>	Proximal to Meta Heads

### Clinical Indicators

Foot Drop/Weak or Absent Plantar Flexor,  
Degenerative Arthritis, Trauma, Stroke

### L Codes

L1960 / L1940  
L2330, L2820

## SCAN FOR BRACES

Quickly & accurately scan for braces with our 3D Mapping Technology.







## CROW WALKER

- Rigid Support
- Improves Mobility & Wound Off-Loading
- Helps Treat Wounded Foot w/ Extra Care

<b>Shell Material:</b>	5mm Polypropylene
<b>Padding Material:</b>	3mm EVA
<b>Joint:</b>	Fixed
<b>Closure:</b>	Velcro Straps
<b>Length/Plantar:</b>	Full Length
<b>Heel Cup Depth:</b>	N/A

### Clinical Indicators

Diabetic Ulcers, Charcot  
Diabetic Forefoot/  
Rearfoot Amputation

### L Codes

L4631, L3400,  
L2330

## CHILD FLEXION LIMITER

- Best to Limit Plantar Flexion & Toe Walking
- For Patients Who Require Tall Posterior Control for Hyper-Extension of the Knee

<b>Shell Material:</b>	5mm Polypropylene (Carbon Fiber Optional)
<b>Padding Material:</b>	3mm EVA
<b>Joint:</b>	Tamarack
<b>Closure:</b>	Velcro Straps
<b>Length/Plantar:</b>	Proximal to Meta Heads
<b>Heel Cup Depth:</b>	30mm

### Clinical Indicators

Toe Walking, Excessive Varus/Valgus,  
Need to Limit Plantar Flexion

### L Codes

L1970, L2330, L2820,  
L2200 (2x per brace)



## SMO

- Total Contact Support for Foot and Ankle
- More Support than a Foot Orthotic but Lower Profile than a Standard AFO

<b>Shell Material:</b>	5mm Polypropylene (Carbon Fiber Optional)
<b>Padding Material:</b>	3mm EVA
<b>Joint:</b>	Fixed
<b>Closure:</b>	Velcro Straps
<b>Length/Plantar:</b>	Proximal to Meta Heads
<b>Heel Cup Depth:</b>	Mid-Achilles Height

### Clinical Indicators

Mendable High-Tone  
Supination/Pronation

### L Codes

L1907, L2330



## CHILD SMO

- Total Contact Support for Foot and Ankle
- More Support than a Foot Orthotic but Lower Profile than a Standard AFO

<b>Shell Material:</b>	5mm Polypropylene (Carbon Fiber Optional)
<b>Padding Material:</b>	3mm EVA
<b>Joint:</b>	Fixed
<b>Closure:</b>	Velcro Straps
<b>Length/Plantar:</b>	Proximal to Meta Heads
<b>Heel Cup Depth:</b>	Mid-Achilles Height

### Clinical Indicators

Mendable High-Tone  
Supination/Pronation

### L Codes

L1907, L2330



## FLEXION LIMITER

- Best to Limit Plantar Flexion & Toe Walking
- For Patients Who Require Tall Posterior Control for Hyper-Extension of the Knee

<b>Shell Material:</b>	5mm Polypropylene (Carbon Fiber Optional)
<b>Padding Material:</b>	3mm EVA
<b>Joint:</b>	Tamarack
<b>Closure:</b>	Velcro Straps
<b>Length/Plantar:</b>	Proximal to Meta Heads
<b>Heel Cup Depth:</b>	30mm

### Clinical Indicators

Toe Walking, Excessive Varus/Valgus,  
Need to Limit Plantar Flexion

### L Codes

L1970, L2330, L2820,  
L2200 (2x per brace)

## 100% HANDMADE

We take pride in our  
craftsmanship & the  
quality of our products.





★ Most Popular



### SUMMIT PRO

- Best All-Around Device for Everyday Use
- Looks & Feels like a Custom Orthotic
- Anti-Microbial MicroSilver™ Top Cover

The Summit Pro has an anti-microbial MicroSilver™ top cover, 1/8" high-rebound EVA padding, and added padding in the heel. This insole provides semi-rigid support and is extrinsically posted 3 degrees varus with a 12mm heel cup to control pronation. This insole is designed to look and feel like a custom orthotic.

Variation Options: [3/4 Length](#) | [Non-Posted](#)

### SUMMIT PRO XP

- Additional 1/16" Extra Padding
- Anti-Microbial MicroSilver™ Top Cover
- Doesn't Flatten Over Time

The Summit Pro XP has an anti-microbial MicroSilver™ top cover, 3/16" high-rebound EVA padding, and added padding in the heel. This insole provides semi-rigid support and is extrinsically posted 3 degrees varus with a 12mm heel cup to control pronation. This insole is designed to look and feel like a custom orthotic.

Variation Options: [Non Posted](#)



### SUMMIT PRO PREMIUM

- Marine Grade Black Vinyl Top
- Increased Durability
- Decreased Friction

The Summit Pro Premium has a marine grade vinyl top cover, 1/8" high-rebound EVA padding, and added padding in the heel. This insole provides semi-rigid support and is extrinsically posted 3 degrees varus with a 12mm heel cup to control pronation. This insole is designed to look and feel like a custom orthotic.



### SUMMIT PRO OPEN

- Bottom Cover Unglued
- Peel & Stick Backing
- Easy to Add Modifications

The Summit Pro Open has an anti-microbial MicroSilver™ top cover, added padding in the heel, and 1/8" high-rebound EVA padding that is unglued allowing for in-office adjustments before dispensing. This insole provides semi-rigid support and is extrinsically posted 3 degrees varus with a 12mm heel cup to control pronation. This insole is designed to look and feel like a custom orthotic.



## CUSTOM LABELING

We print your logo and/or name at no additional cost for select orders.



#### Available Sizing for: Summit Pro Series

Sizes	A	B	C	D	E	F	G	H	I
<b>Mens</b>	5-5.5	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14-15
<b>Womens</b>	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14+	



### JM 720

- High Arch & Slight Met Raise
- Designed to be Heat Adjusted
- Rigid/Wide Shell

The JM 720 is a shell length, semi-rigid insole with a high arch and a slight met raise. This product is designed to be heat molded, creating a rigid functional device. The 720 should not be dispensed without heat adjustment.



### JM 724

- Low Profile
- Fits in Most Shoes
- Wide Athletic Shell

The JM 724 is the newest model in our heat mold line up. It is a thin, shell length, semi-rigid device with a 12mm heel cup, and a medium arch. This product can be conveniently dispensed right out of the package as an over-the-counter device, or heat-adjusted to create a semi custom shell.



### JM 722

- High Arch & Slight Met Raise
- Slim Profile for Dress Shoes
- Rigid Shell

The JM 722 is a narrow, shell length, rigid device with a high arch, slim profile and slight met raise. It can be formed to fit comfortably into dress shoes and even molded into high heels. The 722 should not be dispensed without heat adjustment.



### JM 726

- Heel Posted 3° Varus
- Made to Fit Like a Custom Orthotic
- Low Profile/Low Arch

The JM 726 is a shell length, semi-rigid, low arch height insole. This product is made to fit like a custom orthotic, and can be conveniently dispensed right out of the package. The heel is posted at 3 degrees varus for lateral support.



### JM 722-M

- Medium Arch & Slight Met Raise
- Slim Profile for Dress Shoes

The JM 722-M is a narrow, shell length, rigid device with a medium arch, slim profile and slight met raise. It can be formed to fit comfortably into any dress shoe including high heels. This product can be dispensed right out of the package as an OTC device, or heat-adjusted to create a semi custom shell.



### JM 729

- Shell-Length Rigid Device
- Low Arch & 8mm Heel Cup

The JM 729 is a shell length, semi-rigid, low arch height device with neutral intrinsic posting. They can be dispensed out of the package like an OTC, or heat-adjusted and molded as needed.

## HEAT MOLDING PACKAGE

The Heat Molding Package allows you to mold a shell directly to your patients' feet. Includes both a Heat Molding Pillow and Hot Top Cover.



### Heat Molding Pillow

- Pushes Against the Arch to Create a Cast of the Foot



### Hot Top Cover

- Protects the Foot While Molding an Orthotic

Available Sizing for: 720, 722, 722-M, 724, 726, 729

Sizes	A	B	C	D	E	F	G	H	I
<b>Mens</b>	3-4	5-6	6-7	7-8	8-9	9-10	10-11	12-14	15+
<b>Womens</b>	5-6	7-8	8-9	9-10	10-11	11-12	12-13	14+	





★ Most Popular

### CLOUD WALKER

- For Long Days on Your Feet
- Soft, High Rebound Materials
- Never Flattens Out

The Cloud Walker insole is made from high rebound bilaminate urethane and poron padding to create a soft orthotic that will never flatten out. This insole is extremely accommodative and provides maximum shock absorption. Ideal for people walking or standing on hard floor surfaces. Great for patients with ulcers or sensitive feet.



### ULTRA

- EVA Shell, Nylon Top Cover
- High Medial Flange for Better Arch & Pronation Support

An accommodative device that offers good support and cushion. The high medial flange provides arch support, and helps to control pronation.



### DIABETIC INSOLE

- Bi-Laminate Top Cover
- Multi Durometer
- Compliant with Medicare Shoe Program

The Diabetic Insole is designed for compliance with the Medicare Diabetic Shoe Program. The bi-laminate provides accommodative support throughout the entire insole.

Medicare HCPCS Code: [A5500](#)



### ULTRA MP

- Ultra with Added Met Pad
- EVA Shell, Nylon Top Cover
- High Medial Flange for Better Arch & Pronation Support

An accommodative device that offers good support and cushion. The high medial flange provides arch support, and helps to control pronation. The Ultra MP version includes medium sized Met Pads (MP) built into the device.

Available Sizing for: Cloud Walker & Diabetic Insole

Sizes	X Small	Small	Medium	Large	X Large	XX Large
<b>Mens</b>	4-5	6-7	8-9	10-11	12-13	14-15
<b>Womens</b>	5-7	8-9	10-11	12-13	14-15	

Available Sizing for: Ultra & Ultra MP

Sizes	A	B	C	D	E	F	G	H	I
<b>Mens</b>	5-5.5	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14-15
<b>Womens</b>	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14+	



### SLIM POWER

- High Rebound Neoprene
- Full Length Bottom Cover
- Additional Heel Cushion
- For High Arches

The Slim Power Insole has an anti-microbial MicroSilver™ top cover and 1/8" high-rebound EVA padding. This insole provides semi-flexible support and has a very low profile, allowing it to fit into a wide variety of shoes.

Variation Options: [3/4 Length](#)

#### Available Sizing for: Slim Power

Sizes	AA	A	B	C	D	E	F	G	H
Mens	4-4.5	5-5.5	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13
Womens	5-5.5	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14+



### KIDDIE TEK UCBL

- Offers Excellent Control
- Can be Adjusted with a Heat Gun

The Kiddie Tek UCBL offers excellent control for the pediatric foot. These insoles are intrinsically posted to neutral and provide semi-rigid support. They are available in 10 different sizes and can be adjusted with a heat gun.

#### Available Sizing for: Kiddie Tek UCBL

Sizes UK	22	24	26	28	30	32	34	36	38	40
US	5-5.5	7-7.5	8.5	10-10.5	12-12.5	1-1.5	3-3.5	5-5.5	7-7.5	9-9.5

### POWER PLATES NEW

- Support for Everyday Activities
- Reduces Recovery Time
- Enhances Performance

The Power Plate insole is designed to assist propulsion and enhance performance with every step. Made out of our proprietary PRx Graphite™, the power plate is heat moldable and available in multiple rigidities, allowing users to reduce recovery time and provide protection against most foot injuries.

Rigidity Options: [Semi Flex](#) | [Semi Rigid](#)

#### Available Sizing for: Power Plates

Power Plates are Available in Every Half Size

Mens: 3.5 - 16.5 Womens: 5 - 18



### CARBON WEAVE FOOT PLATE NEW

- Ultra Strong & Ultra Thin
- Handmade Carbon Fiber
- Reduces Recovery Time

The Carbon Weave Foot Plate insole is handmade out of medical grade carbon fiber weave. This insole is ultra thin, ultra strong, provides protection against most foot injuries, assists propulsion, enhances performance, and reduces recovery time.

#### Available Sizing for: Carbon Weave Foot Plate

Carbon Weave Foot Plates are Available in Every Half Size

Mens: 3.5 - 16.5 Womens: 5 - 18




#### Peel & Stick Posting

- 3° & 5° posting wedges
- 3° & 5° peel & stick strips



#### Peel & Stick Arch Pad

- Arch shaped poron pad



#### Peel & Stick Heel Lift

- 1/4" heel lift strip



#### Peel & Stick Soft Top Cover

- 1/8" fabric covered poron





Customer Service;

Toll Free: 800.409.0097

Local: 905.906.8265

Noolab.ca

[info@noolab.ca](mailto:info@noolab.ca)